

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# **KOSTER**

## **COMPANY INC.**



**SEPTEMBER 1, 1938**

**WHOLESALE  
NURSERYMEN**

**BRIDGETON, N. J.**

**PHONE 1053**

## Terms and Conditions of Sale



**ORDERS:** State size desired and give specific shipping instructions—whether by freight, express or motor, date of delivery and to whom notice of delivery and invoice is to be sent. If no shipping instructions are included we will ship by best carriage. If no date is specified we will ship at once or as soon as weather or conditions of plants allow.

**LINING OUT STOCK.** Lining out material is shipped bare root with the roots puddled and protected with damp moss. Azaleas and Rhododendrons having a natural ball are protected with paper.

**SPECIMEN PLANTS.** All specimen stock is shipped balled and burlapped except small Boxwood and Lilacs. These items are mossed.

**TRANSPORTATION.** All shipments are adequately and carefully packed; and shipped over the Central New Jersey or Pennsylvania Railroads, or by motor freight. We can arrange truck load deliveries to Philadelphia for \$18.00, New York City \$40.00 and Baltimore \$45.00, other distances in proportion.

**PRICES** We quote 1 to 50 plants of ONE KIND at the 10 rate, 50 to 300 at the 100 rate and over 300 at the 1000 rate. Packing at cost of material.

**TERMS:** Orders from people unknown to us will be shipped C. O. D. unless arrangements for credit are made in advance. Regular accounts are due net cash 30 days from date of invoice.

**GUARANTEE:** Our stock is true to name and is of size and quality represented. We give no other guarantee of warranty.

**INSPECTION:** All plants shipped OUTSIDE the Japanese Beetle Quarantine ARE accompanied with a Japanese Beetle Certificate. Shipments INSIDE the Japanese Beetle Quarantine Zone will NOT have a Japanese Beetle Certificate unless requested. All shipments ARE accompanied with a New Jersey Nursery Certificate of Health.

**CLAIMS:** If stock is unsatisfactory, claims should be made promptly upon receipt of goods. No claims after 10 days.

KOSTER COMPANY INC.

Bridgeton, New Jersey.

Telephone:—Bridgeton 1053.

C. Courtney Seabrook, Mgr.

John Vermullen

H. Hoogendoorn

# Lining-Out Stock

## Bare Root Stock

	100 rate	1000 rate
ABIES concolor (seedlings) White fir		
* 2 to 3 in. 1 yr. seedlings	\$25.00 per 1000	
* 3 to 6 in. 1 yr. tpl.	45.00 per 1000	
—grandis (seedlings) Giant fir		
* 6 to 8 in. 3 yr. tpl.	\$0.08	
ACER palmatum (seedlings) Japanese maple		
* 2 to 4 in. 1 yr. seedlings	\$25.00 per 1000	
—atropurpureum novum (grafted) True red Jap. maple		
* 6 to 9 in. 1 yr. tpl.	\$0.25	\$0.20
* 9 to 12 in. 2 yr. tpl.	.35	.30
AZALEA altaclarence (seedlings) Yellow flowered ghent		
—chinensis (seedlings) Deciduous Chinese azalea		
—j. c. van tol (seedlings) Orange red type of Mollis		
—mollis (seedlings) Orange to yellow flowers		
—pontica (seedlings) Yellow deciduous Ghent azalea		
—pontica hybrid (seedlings) assorted colors		
* 3 to 6 in. 1 yr. tpl.	\$0.08	\$0.06
* 6 to 8 in. 2 yr. tpl.	.12	.10
* 6 to 9 in. heavy 3 yr. tpl.	.18	.15
—benegiri (cuttings) Deep red kurume		
—coccinea (cuttings) Red flowered amoena		
—flame (cuttings) Large flowered red kurume		
—hexi (cuttings) Deep pink large flower		
—j. t. lovett (cuttings) Very late carmine flowers, compact		
—ledifolia alba (cuttings) Hardy white azalea		
—macrantha (cuttings) Large single red evergreen azalea		
—macrantha floreplena (cuttings) Double red flowers		
—magnifica (cuttings) Blush colored ledifolia		
—malvatica (cuttings) Purple flowers, bushy grower		
—maxwelli (cuttings) Very hardy, large red flowers, late		
—pink beauty (cuttings) Finest soft pink flowers		
—pink pearl (cuttings) Large double pink flowers		
—salmon beauty (cuttings) Beautiful salmon flowered		
—sweet brier (cuttings) Hardy dwarf kurume		
—snow drift (cuttings) Extremely large white flowers		
—yodogowa (cuttings) Double lavender pink azalea		
* 3 to 4 in. 1 yr. tpl.	\$0.18	\$0.15
* 4 to 6 in. 2 yr. tpl.	.30	.25
—coral belle (cuttings) Double shell pink flowers		
3 to 4 in. 1 yr. tpl.	\$0.15	\$0.12
4 to 6 in. 2 yr. tpl.	.25	.20
—hinodegiri (cuttings) Red flowered exergreen azalea		
* 3 to 4 in. 1 yr. tpl.	\$0.15	\$0.12
* 4 to 6 in. 2 yr. tpl.	.25	.20

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).

	100 rate	1000 rate
AZALEA indica (grafted) Forcing Belgian azalea		
Dr. Martin—red		
Empress of India—A very good bicolor		
Ernest Thiers—Red dwarf		
Ernest van Eckhoutte—Dark red		
La Temperance—Lavender		
Mme. Jos. Vervaene—Peach		
Mme. Morrcan—Bicolor		
Mme. Fred Sanders—Bicolor		
Niobe—White		
Prof. Walters—Bicolor		
Romaine de Smet—Dwarf bicolor		
Simon Mardner—Red		
Van der Cruyssen—The best deep pink.		
Vervaene—The best bicolor		
4 to 6 in. 1 yr. tpl.	\$0.50	\$0.40
6 to 8 in. 2 yr. tpl.	.70	.60
—kaempferi hybrid (cuttings) Named hybrids of the mal- vatica and kaempferi crossing. The best and hardi- est azaleas.		
Aida—Clear pink, bushy grower		
Atalanta—Lavender, late, tall grower		
Carmen—Pink		
Cleopatra—Light pink, early flowering, tall grower		
Fedora—Pink, early flowering, medium grower		
Lakme—Compact, pink		
Lohengrin—Orchid		
Louise—Tall, pink		
Martha—Pink, late dwarf grower		
Mignon—bushy, pink		
Mikado—Red, midseason, medium grower		
Norma—Deep pink, mild season, dwarf grower		
Oberon—Lavender, medium grower		
Othello—Orange red, early blooming, medium grower		
Thais—Compact, pink		
Zampa—Crimson pink, mid season, medium grower		
* 6 to 8 in. 1 yr. tpl.	\$0.18	\$0.15
* 8 to 10 in. 2 yr. tpl.	.35	.25
—U. S. D. A. —New introductions by Department of Agri- culture		
77077—unnamed		
77087—satsuki—Pink flowers		
77094—osakazuri—Pink flowers		
77096—yo zakura—Large lavender flowers		
77104—satsuki—Deep pink		
77105—satsuki—Lavender flowers		
77107—tama no ito—Light purple		
77113—beni kirishima—Double pink		
77131—suishoren—Deep pink		
77132—warai gishi—Erect grower, pink		
77136—Kocho no mai—Purple color		
77145—satsuki—Very dwarf, pink		
77690—unnamed		
78376—carminata splendens—Deep pink		
78380—unnamed		
78382—macrantha—Orange flowers		
3 to 4 in. 1 yr. tpl.	\$0.18	\$0.15
4 to 6 in. 2 yr. tpl.	.30	.25

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).

	100 rate	1000 rate
<b>AZALEA calendulacea</b> (seedlings) Flame Azalea		
— <b>poukahensis</b> (seedlings) Rose flowered deciduous azalea		
— <b>vaseyi</b> (seedlings) Pink shell azalea		
* 3 to 6 in. 1 yr. tpl.	\$0.08	\$0.06
— <b>kaempferi</b> (seedlings) Orange red flowers		
* 6 to 8 in. 1 yr. tpl.	\$0.15	\$0.12
* 8 to 10 in. 2 yr. tpl.	.25	.20
* 10 to 12 in. 3 yr. field tpl.	.40	.35
— <b>kaempferi hybrid</b> (seedlings) Flowers vary from flame red to orchid pink		
* 6 to 8 in. 1 yr. tpl.	\$0.15	\$0.12
* 8 to 10 in. 2 yr. tpl.	.25	.20
* 10 to 12 in. 3 yr. field tpl.	.40	.35
— <b>mucronulata</b> (seedlings) Early rosy purple flowers		
6 to 8 in. 1 yr. tpl.	\$0.18	\$0.15
8 to 10 in. 2 yr. tpl.	.30	.25
<b>BERBERIS julianae</b> (grafted) Wintergreen barberry		
* 6 to 8 in. 1 yr. tpl.	\$0.25	\$0.20
* 8 to 10 in. 2 yr. tpl.	.35	.30
— <b>verriculosa</b> (grafted) Dwarf evergreen barberry		
* 4 to 6 in. 1 yr. tpl.	\$0.25	\$0.20
* 6 to 8 in. 2 yr. tpl.	.35	.30
<b>BIOTA orientalis</b> (seedlings) Columnar habit, light green foliage		
* 3 to 6 in. 1 yr. seedling	\$15.00 per 1000	
— <b>orientalis compacta</b> (seedlings) Compact pyramidal biota		
* 9 to 12 in. tpl.	\$0.18	\$0.15
* 12 to 15 in. tpl.	.25	.20
— <b>aurea nana</b> (grafted) Berckman's golden biota		
* 6 to 8 in. 1 yr. tpl.	\$0.18	\$0.15
* 8 to 10 in. 2 yr. tpl.	.25	.20
— <b>conspicua</b> (grafted) Golden columnar biota		
* 6 to 8 in. 1 yr. tpl.	\$0.25	\$0.26
* 8 to 10 in. 2 yr. tpl.	.30	.25
— <b>elegantissima</b> (grafted) Yellow columnar Chinese biota		
* 6 to 8 in. 1 yr. tpl.	\$0.25	\$0.20
* 8 to 10 in. 2 yr. tpl.	.30	.25
<b>BUXUS sempervirens</b> (cuttings) American boxwood		
* 3 to 6 in. 1 yr. tpl.	\$0.06	\$0.04
* 4 to 8 in. 2 yr. tpl.	.09	.07
* 6 to 10 in. 3 yr. tpl.	.12	.10
— <b>suffruticosa</b> (cuttings) Old English boxwood		
* 3 to 4 in. 1 yr. tpl.	\$0.06	\$0.04
* 4 to 6 in. 2 yr. tpl.	.09	.07
* 6 to 8 in. 3 yr. tpl.	.12	.10
<b>CASSIOPE lycopodioides</b> (seedlings) Low evergreen andromedae, pink flowers		
* 9 to 12 in. tpl. branched	\$0.50	\$0.45
<b>CEDRUS atlantica</b> (seedlings) Atlas cedar		
* 6 to 9 in. 2 yr. tpl.	\$0.18	\$0.15

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).

	100 rate	1000 rate
<b>CEDRUS deodora</b> (seedlings) Deodora cedar		
* 6 to 9 in. 2 yr. tpl.	\$0.18	\$0.15
<b>CERCIS siliquastrum</b> (seedlings) Judas tree or red bud		
2 to 3 ft. tpl.	\$0.30	\$0.25
<b>CHAMAECYPARIS alumni</b> (cuttings) Lawson's columnar cypress		
* 6 to 8 in. 1 yr. tpl.	\$0.10	\$0.08
* 8 to 10 in. 2 yr. tpl.	.18	.15
—lawsoniana (seedlings) Lawson's cypress		
* 2 to 4 in. 1 yr. seedlings	\$25.00	per 1000
—obtusa (seedlings) Hinoki cypress		
* 2 to 4 in. 1 yr. seedlings	\$25.00	per 1000
—obtusa crippei (grafted) Golden cypress		
* 4 to 6 in. 1 yr. tpl.	\$0.30	\$0.25
—obtusa filicoides (grafted) Short branches and frond like		
* 4 to 6 in. 1 yr. tpl.	\$0.50	each
—obtusa gracilis (grafted) Dark green Hinoki cypress		
* 4 to 6 in. 1 yr. tpl.	\$0.30	\$0.25
—obtusa gracilis nana (grafted) Dwarf foot-ball cypress		
* 4 to 6 in. 1 yr. tpl.	\$0.30	\$0.25
—obtusa lycopodioides (grafted) Dwarf habit		
* 4 to 6 in. 1 yr. tpl.	\$0.50	each
<b>CORNUS florida</b> (seedlings) White dogwood		
* 6 to 9 in. seedlings	\$25.00	per 1000
—florida rubra (grafted) Red flowering dogwood		
* 9 to 12 in. 1 yr. tpl.	\$0.25	\$0.20
* 12 to 15 in. 2 yr. field tpl.	.35	.30
<b>COTONEASTER apiculata</b> (cuttings) Small leaves		
—divaricata (cuttings) Spreading cotoneaster		
—horizontalis (cuttings) Rock cotoneaster		
—prostrata (cuttings) Creeping cotoneaster		
—salicifolia (cuttings) Willow leaf cotoneaster		
—wilsoni (cuttings) Wilson's cotoneaster		
* 2 to 4 in. 1 yr. tpl.	\$0.18	\$0.15
* 4 to 6 in. 2 yr. tpl.	.25	.20
<b>CRYPTOMERIA japonica</b> (seedlings) Japanese cedar		
* 6 to 9 in. 2 yr. tpl.	\$0.08	\$0.06
—japonica lobbi (grafted) Japanese incense cedar		
* 8 to 10 in. 1 yr. tpl.	\$0.25	\$0.20
<b>CUNNINGHAMIA lanceolata</b> (seedlings) Chinese fir		
* 9 to 12 in. 3 yr. tpl.	\$0.12	\$0.10
<b>DAPHIPHYLLUM macropedum</b> (seedlings) Evergreen Chinese shrub		
* 3 to 4 in. 1 yr. tpl.	\$0.12	\$0.10

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).



	100 rate	1000 rate
<b>ENKIANTHUS campanulatus</b> (seedlings) Red veined enkianthus		
* 6 to 9 in. 2 yr. tpl.	\$0.15	\$0.12
* 9 to 12 in. 3 yr. tpl.	.25	.20

<b>ERICA alba</b> (cuttings) White Scotch heather		
—alporti (cuttings) Rosy alport heather		
—argentea (cuttings) Pink silver tipped heather		
—aurea (cuttings) Golden heather		
—bruckenthalia (cuttings) Spike heather		
—carnea (cuttings) Bright rose spring heather		
—compacta (cuttings) Lavender compact heather		
—cuprea (cuttings) Purple bronze heather		
—darleyensis (cuttings) Deep rose Darley heather		
—elata (cuttings) Tall white heather		
—erecta (cuttings) Ereet white heather		
—hammondi (cuttings) Hammond's white heather		
—hirsuta (cuttings) Purple wooly heather		
—humilis (cuttings) Low white heather		
—hypnoides (cuttings) Deep pink heather		
—minor (cuttings) Dwarf white heather		
—monstrosa (cuttings) Pink heather		
—multiplex (cuttings) Double purple heather		
—pilosa (cuttings) White silky heather		
—rigida (cuttings) White brush heather		
—rosea (cuttings) Delicate pink heather		
—rubra (cuttings) Red heather		
—searlei (cuttings) White Searl heather		
—spicata (cuttings) Tall white heather		
—tenella (cuttings) Slender lavender heather		
—tetralix (cuttings) Cross leaf heather		
—vagans (cuttings) Cornish heather		
—variegata (cuttings) Pink heather		
* 2 to 4 in. 1 yr. tpl.	\$0.18	\$0.15
* 4 to 6 in. 2 yr. tpl.	.25	.20

<b>GINKGO biloba</b> (seedlings) Maidenhair tree		
* 9 to 12 in. 2 yr. tpl.	\$0.12	\$0.10
* 18 to 24 in. 3 yr. tpl.	.18	.15

<b>GORDONIA alatamaha</b> (cuttings) Franklin tree, white flowers		
6 to 12 in. 1 yr. tpl.	\$0.18	\$0.15
12 to 18 in. 2 yr. tpl.	.25	.20

<b>HYDRANGEA petiolaris</b> (seedlings) Climbing hydrangea		
Strong plants from 4 in. pots	\$0.25	

<b>ILEX aquifolia</b> (grafted) English holly		
—argenteo marginata (grafted) Silver margined holly		
—camelliaefolia (grafted) Improved English holly		
—cornuta (cuttings) Chinese holly		
—laevigata polycarpa (grafted) Improved aquifolia type		
* 6 to 9 in. 1 yr. tpl.	\$0.30	\$0.25
* 9 to 12 in. 2 yr. tpl.	.40	.35
—buxifolia, bullata or convexi (cuttings) Dwarf boxwood holly		
* 3 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
* 6 to 9 in. 2 yr. tpl.	.18	.15

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).

	100 rate	1000 rate
<b>ILEX crenata</b> (cuttings) Japanese holly		
* 3 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
* 6 to 9 in. 2 yr. tpl.	.18	.15
— <b>glabra</b> (cuttings) Inkberry		
* 6 to 8 in. 1 yr. tpl.	\$0.10	\$0.08
* 8 to 10 in. 2 yr. tpl.	.18	.15
— <b>opaca</b> (seedlings) American holly		
* 3 to 6 in. 1 yr. seedlings	\$35.00 per 1000	
— <b>opaca</b> female (grafted) Berry bearing American holly		
* 6 to 9 in. 1 yr. tpl.	\$0.30	\$0.25
— <b>opaca howardi</b> (grafted) Improved columnar berry bearing holly		
* 6 to 9 in. 1 yr. tpl.	\$0.50	\$0.45
— <b>opaca</b> male (grafted) Male plants for cross fertilization		
* 6 to 9 in. 1 yr. tpl.	\$0.30	\$0.25
— <b>opaca pitman</b> (grafted) Very large berried American holly		
* 6 to 9 in. 1 yr. tpl.	\$0.50	\$0.45
— <b>pernyi</b> (cuttings) Oriental dwarf holly		
* 2 to 4 in. 1 yr. tpl.	\$0.15	\$0.12
* 4 to 6 in. 2 yr. tpl.	.25	.20
— <b>verticillata</b> (seedlings) Black alderbery winterberry		
* 9 to 12 in. 3 yr. tpl.	\$0.10	\$0.08
<b>JUNIPERUS burki</b> (grafted) Burk's blue upright red cedar		
— <b>cannarti</b> (grafted) Dark green upright red cedar		
— <b>columnaris blue</b> (grafted) Blue columnar Chinese juniper		
— <b>columnaris green</b> (grafted) Green columnar Chinese		
— <b>fortunei</b> (grafted) (Sphaerica) Globular juniper		
— <b>glauca</b> (grafted) Blue Virginia red cedar		
— <b>keteleeri</b> (grafted) Pyramidal red cedar		
— <b>schotti</b> (grafted) Upright red cedar		
* 6 to 9 in. 1 yr. tpl.	\$0.30	\$0.25
* 9 to 12 in. 2 yr. tpl.	.40	.35
— <b>depressa plumosa</b> (cuttings) Prostrate Andorra juniper		
— <b>hibernica</b> (cuttings) Irish upright juniper		
— <b>horizontalis glauca</b> (cuttings) Blue prostrate juniper		
— <b>meyeri</b> (cuttings) Meyer's fishtail juniper		
— <b>sabina</b> (cuttings) Sabin's vase shaped juniper		
— <b>stricta</b> (cuttings) Spiny Greek juniper		
— <b>suicica</b> (cuttings) Swedish juniper		
* 4 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
* 6 to 9 in. 2 yr. tpl.	.18	.15
— <b>pfitzer</b> (cuttings) Spreading juniper		
* 4 to 6 in. 1 yr. tpl.	\$0.18	\$0.15
* 6 to 9 in. 2 yr. tpl.	.25	.20
— <b>virginia</b> (seedlings) Virginia red cedar		
* 3 to 6 in. seedlings	\$20.00 per 1000	
<b>KALMIA latifolia</b>		
* 3 to 6 in. 1 yr. tpl.	\$0.08	\$0.06
* 6 to 9 in. 2 yr. tpl.	.12	.10

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).

	100 rate	1000 rate
<b>LAUROCERASUS schipkaensis</b> (cuttings) Holland laurel		
* 8 to 10 in. 2 yr. tpl.	\$0.25	
<b>LEUCOTHOE catesbaei</b> (seedlings) Drooping leucothoe		
* 4 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
* 6 to 9 in. 2 yr. tpl.	.18	.15
* 9 to 12 in. 3 yr. tpl.	.25	.20
— <b>grayanna</b> (seedlings) Pink flowers		
* 9 to 12 in. 3 yr. tpl.	\$0.25	\$0.20
<b>LIBOCEDRUS decurrens</b> (seedlings) Incense cedar		
* 15 to 18 in. 3 yr. tpl.	\$0.25	\$0.20
<b>MAGNOLIA denudata</b> (seedlings) Deciduous magnolia		
* 9 to 12 in. 3 yr. tpl.	\$0.18	\$0.15
— <b>soulangeana</b> (grafted) Pink saucer magnolia		
— <b>soulangeana nigra</b> (grafted) Black saucer magnolia		
— <b>stellata</b> (grafted) Star magnolia		
* 6 to 10 in. 1 yr. tpl.	\$0.35	\$0.30
* 10 to 15 in. 2 yr. tpl.	.45	.40
<b>MAHONIA aquifolium</b> (seedlings) Oregon hollygrape		
* 4 to 6 in. 2 yr. tpl.	\$0.18	\$0.15
<b>NANDINA domestica</b> (seedlings) Heavenly bamboo		
* 6 to 9 in. 2 yr. seedlings	\$0.08	\$0.06
<b>OXYDENDRON arboreum</b> (seedlings) Sour wood or Sorrel tree		
* 6 to 9 in. 2 yr. seedlings	\$0.08	\$0.06
* 18 to 24 in. 3 yr. tpl.	.35	.30
<b>PICEA canadensis</b> (seedlings) White spruce		
— <b>engelmanni</b> (seedlings) Engelmann spruce		
— <b>pungens</b> (seedlings) Colorado spruce		
— <b>pungens glauca</b> (seedlings) Colorado blue spruce		
* 3 to 6 in. 1 yr. tpl.	\$50.00 per 1000	
* 4 to 8 in. 2 yr. tpl.	70.00 per 1000	
— <b>excelsa</b> (seedlings) Norway spruce		
* 3 to 6 in. 2 yr. seedlings	\$10.00 per 1000	
* 6 to 8 in. 1 yr. tpl.	\$35.00 per 1000	
* 8 to 10 in. 2 yr. tpl.	50.00 per 1000	
— <b>pungens kosteri</b> (grafted) Koster's blue spruce		
* 4 to 6 in. 1 yr. tpl.	\$0.40	\$0.35
* 6 to 8 in. 2 yr. tpl.	.50	.45
<b>PIERIS floribundae</b> (seedlings) Mountain andromeda		
* 2 to 3 in. seedlings	\$0.10	\$0.08
— <b>japonica</b> (cuttings) Japanese andromeda		
* 3 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
* 6 to 9 in. 2 yr. tpl.	.20	.18
<b>PINUS banksiana</b> (seedlings) Jack pine		
— <b>bungeana</b> (seedlings) Lace bark pine		
— <b>densiflora</b> (seedlings) Japanese red pine		
— <b>excelsa</b> (seedlings) Himalayan pine		
— <b>jeffreyi</b> (seedlings) Oregon blue pine		
— <b>koraiensis</b> (seedlings) Korean pine		
— <b>massoniana</b> (seedlings) Chinese pine		
— <b>pectinata</b> (seedlings) Pectine pine		
— <b>ponderosa</b> (seedlings) Western yellow pine		
— <b>resinosa</b> (seedlings) Red pine		
— <b>rigida</b> (seedlings) Pitch pine		
— <b>strobus</b> (seedlings) White pine		
— <b>thunbergi</b> (seedlings) Japanese black pine		
* 4 to 8 in. 1 yr. tpl.	\$50.00 per 1000	
* 6 to 12 in. 2 yr. tpl.	70.00 per 1000	

	100 rate	1000 rate
<b>PINUS cembra morris</b> (grafted) Swiss stone pine		
— <b>parviflora glauca morris</b> (grafted) Blue Jap. white pine		
* 6 to 8 in. 1 yr. tpl.	\$0.45	\$0.35
* 8 to 10 in. 2 yr. tpl.	.50	.45
— <b>mugho</b> (seedlings) Dwarf mugho pine		
* 3 to 4 in. 2 yr. tpl.	\$0.12	\$0.10
* 4 to 6 in. 3 yr. tpl.	.18	.15
— <b>nigra</b> (seedlings) Austrian pine		
— <b>sylvestris</b> (seedlings) Scotch pine		
* 6 to 9 in. 1 yr. tpl.	\$25.00 per 1000	
* 9 to 12 in. 2 yr. tpl.	35.00 per 1000	
* 9 to 12 in. 3 yr. tpl. branched	60.00 per 1000	
<b>PSEUDOTSUGA douglasi glauca</b> (seedlings) Blue Douglas fir		
* 3 to 6 in. 1 yr. tpl.	\$25.00 per 1000	
* 6 to 9 in. 2 yr. tpl.	35.00 per 1000	
<b>PYRACANTHA coccinea lelandi</b> (cuttings) Fire thorn		
* 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
* 6 to 8 in. 2 yr. tpl.	.20	.18
<b>RETINOSPORA plumosa</b> (cuttings) Plume cypress		
— <b>plumosa aurea</b> (cuttings) Golden plume cypress		
— <b>squarrosa veitchi</b> (cuttings) Moss cypress		
— <b>squarrosa veitchi nana</b> (cuttings) Dwarf moss cypress		
* 4 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
* 6 to 9 in. 2 yr. tpl.	.18	.15
<b>RHODODENDRON hybrids.</b> All rhododendron varieties are grafted on hardy understock by expert propagators. See pages 19, 20 and 21 for complete descriptions.		
Album elegans—white, tall fast grower		
America—red, medium bushy		
Amphion—pink, white eye, medium grower		
Boule de Neige—white, very dwarf variety		
Catawbiense album—white, medium grower		
Catawbiense grandiflorum—lilac, compact bushy habit		
Dr. Dresselhuys—red, tall variety		
Dr. Lovink—red, low grower		
Dr. Rutgers—red, low and spreading		
English Roseum—pink, clear pink Roseum Elegans		
Everestianum—lilac, dwarf		
Ignatius Sargent—red, medium tall grower		
Kettledrum—red, medium grower		
Lee's Dark Purple—purple, medium grower		
Mrs. P. den Ouden—red, medium tall habit		
Mrs. C. S. Sargent—light red, bushy variety		
Parsons' grandiflorum—wine red, medium tall		
Pres. Lincoln—lavender, tall fast grower		
Prof. Bettex—red, low branching		
Purpureum elgeans—purple, medium habit		
Roseum elegans—orchid pink, compact medium habit		
Van der Broeke—red, medium grower		
Van der Hoope—red, medium grower		
Van Weerden Poelman—red, medium grower		
6 to 8 in. 1 yr. tpl.	\$0.60	\$0.50
* 9 to 12 in. 2 yr. tpl.	.70	.60

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).

	100 rate	1000 rate
<b>RHODODENDRON arboreum</b> (seedlings) White to red		
—discolor (seedlings) Large pink flowering rhododendron		
—fortunei (seedlings) Pink colored flowers		
—keiskei (seedlings) Yellow dwarf evergreen rock garden		
—metternichi (seedlings) Rose flowered dwarf rhodo.		
—racemosa (seedlings) Pink dwarf Chinese rock garden		
—racemosa hybrid (seedlings) Cross of racemosa		
—roseaflora (seedlings) Rose flowered small leaf		
3 to 6 in. 1 yr. tpl.	\$0.18	\$0.15
6 to 9 in. 2 yr. tpl.	.25	.20
—carolina (seedlings) Carolina rhododendron		
—catawba (seedlings) Catawba rhododendron		
—catawbiense hybrid (seedlings) Hybrid seedlings		
—maximum (seedlings) Rose bay rhododendron		
* 3 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
* 6 to 9 in. 2 yr. tpl.	.18	.15
—pontica (seedlings) For understock		
3 to 6 in. 1 yr. tpl.	\$0.07	\$0.05
6 to 9 in. 2 yr. tpl. for stock	.10	.08
<b>STEWARTIA monadelphia</b> (seedlings)		
* 9 to 12 in. 1 yr. tpl.	\$0.25	\$0.20
<b>SYRINGA vulgaris</b> (root grafted) French hybrid lilacs		
Early varieties	Gilbert	\$0.25 each
Berryer—double	Maurice Barres	
Lamartine—single	Double light lilac	
Montaigne—single	Marchael Lannes	
Necker \$0.25 each	Thumberg	\$0.25 each
Single white	Victor Lemoine	\$0.25 each
Jan von Tol—tall	Single light pink	
Marie Le gray—dwarf	Lucie Baltet	\$0.25 each
Mont Blanc	Macrostacia	\$0.25 each
Double white	Double light pink	
Edith Cavell—dwarf	Belle de Nancy	\$0.25 each
Mme. Lemoine	Leon Gambetta	
Miss Ellen Willmott	Pres. Faillieres	
Single dark blue	Waldeck Rousseau	
Captain Baltet	Single dark red	
Cavour	Congo	\$0.25 each
Decaisne \$0.25 each	Ludwig Spaeth	
Double dark blue	Horstenstein	
Emile Gentile	Reaumur	
Katherine Havemeyer	Double dark red	
Oliver de Terres \$0.25 each	Charles Joly	
Pres. Grevy	Mrs. Edward Harding	
Single light lilac		
Charles X		
* 4 to 10 in. 1 yr. tpl.	\$0.18	\$0.15
* 10 to 15 in. 2 yr. tpl.	.25	.20

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).

100 rate 1000 rate

**TAXUS adpressa** (grafted) California yew

- baccata** (grafted) English yew
- browni** (grafted) Brown's yew
- canadensis** (grafted) Canadian yew
- densa** (grafted) Compact brevifolia yew
- erecta overiender** (grafted) Upright yew
- fastigiata aurea** (grafted) Golden Irish yew
- hatfieldi** (grafted) Hatfield yew
- hunnewell** (grafted) Hunnewell yew
- media andorra** (grafted) Andorra yew
- repens** (grafted) Prostrate yew
- semper aurea** (grafted) Low golden yew
- tardiva aurea** (grafted) Dwarf golden yew
- washingtoni** (grafted) Washington yew

* 6 to 8 in. 1 yr. tpl.	\$0.30	\$0.25
* 8 to 10 in. 2 yr. tpl.	.40	.35

- brevifolia nana** (cuttings) Dwarf Japanese yew
- capitata** (seedlings) Pyramidal Japanese yew
- cuspidata spreading** (cuttings) Spreading Japanese yew
- hicksi** (cuttings) Upright Hick's yew
- intermedia** (cuttings) Globular yew

* 6 to 8 in. 1 yr. tpl.	\$0.10	\$0.08
* 8 to 10 in. 2 yr. tpl.	.18	.15

**THUJA elegantissima** (cuttings) Golden upright a.

- globosa** (cuttings) Compact globe arborvitae
- pumula** (cuttings) Dwarf arborvitae
- pyramidalis** (cuttings) Pyramidal arborvitae
- rosenthali** (cuttings) Rosenthal's arborvitae
- spiralis** (cuttings) Moss or plicata arborvitae
- warreana** (cuttings) Siberian arborvitae
- woodwardi** (cuttings) Woodward globe arborvitae

* 4 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
* 6 to 8 in. 2 yr. tpl.	.15	.12

**TSUGA canadensis** (seedlings) Canadian hemlock

- carolina** (seedlings) Carolina hemlock
- hetrophylla** (seedlings) Western hemlock

* 3 to 6 in. 1 yr. tpl.	\$0.08	\$0.06
* 6 to 8 in. 2 yr. tpl.	.12	.10

—**fremdi** (grafted) Dwarf pyramidal hemlock

* 4 to 6 in. 1 yr. tpl.	\$0.50 each
* 6 to 8 in. 2 yr. tpl.	.75 each

**VACCINIUM vitis idea minor** (cuttings) Dwarf cowberry

- vitis idea major** (cuttings) Mountain cowberry

2 to 3 in. 2 yr. pots	\$0.30	\$0.25
-----------------------	--------	--------

**WISTERIA multijuga blue** (seedlings) Japanese wisteria

- multijuga white** (seedlings) Japanese wisteria
- sinensis blue** (seedlings) Chinese wisteria
- sinensis white** (seedlings) Chinese wisteria

* 6 to 10 in. 3 yr. tpl.	\$0.12	\$0.10
--------------------------	--------	--------

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).

## RHODODENDRON CULTURE

The importation of Rhododendrons from Europe was stopped in 1919 by quarantine 37. Since then, Koster Nurseries have been propagating Rhododendrons in large quantities, and during the past 20 years have grafted over one-half million Hybrids. Our plants are known throughout the United States for their superior quality and hardiness. Our plants are grafted on hardy understock by expert propagators and must not be confused with inferior seedling types of Rhododendrons. They have been produced under open field culture and have compact tops and splendid root systems. If given the proper conditions, these healthy and vigorous plants will thrive without coddling or nursing.

**LOCATION.** Rhododendrons can be grown in practically any situation with the exception of those spots entirely in the shade of big trees or on a steep bank facing south in the brilliant sunlight. In the former case, the plants are deprived of the sunlight essential to good health. While in the latter they suffer from drought during the hot weather, and sun injuries in the winter when the leaves are frozen. A northern, western or eastern exposure is especially desirable as the plants are less likely to receive the direct winter sun on their frozen leaves. Cool, moist positions suit them best, and provided the ground is well drained, they will flourish in comparatively wet spots. Partial shade is very beneficial rather than otherwise, if it can be obtained without planting too near the roots of strong growing trees. The Rhododendrons on Koster Nurseries are growing out in the open fields in full sunlight and will thrive in quite adverse locations.

**SOIL.** A well drained acid soil containing plenty of leaf mold is ideal for Hybrid Rhododendrons. In limestone or heavy clay soils it is necessary to trench the ground to a depth of two feet, discarding the limestone soil and replacing it with good fibrous loam that has been mixed with decayed leaf mold or peat. For best results, one third fibrous loam, one third peat or decayed leaf mold and one third rich, slightly acid top soil should be used. In the heavy clay soils, bottom drainage should be provided by using sharp sand or cinders. Fresh stable manure should be avoided in spring prepared soil but a good quantity may be incorporated in the soil if it is done the fall previous to spring planting.

**PLANTING.** The ground should not be too wet and the plants should be thoroughly trodded in when planting. If the soil is properly prepared for Rhododendrons, it is impossible to tread Rhododendrons too firmly since, when the foot is removed the fibrous nature of the soil will make it rise right back up again. The plants should be planted at the same depth as they have been in the nursery or a trifle deeper. The ground mark on the stem being a sufficient guide for this. If the roots are at all dry, they should be thoroughly soaked before planting by standing them in water for one-half hour. One and one-half times their height is a good distance to plant Rhododendrons apart. Here on Koster Nursery, plants two feet high are planted about three feet apart. Planting can be done favorably during the months from September 1 to June 1, except when the ground is frozen or very dry.

**CARE.** Two year old or older grafted Rhododendrons have passed the difficult stage, and require only ordinary care. For established plants, a yearly top dressing of well rotted cow manure applied in November and covered with six inches of oak leaves will provide food that will maintain a healthy, vigorous growth during the next spring and summer growing season. The removal of flower seed buds as soon as the booms are over, will promote growth and flowers for the next season. There are few enemies of Rhododendrons and their prevention is easier than their cure. Towards this goal, the following spraying campaign is highly recommended. A dormant, one per cent miscible oil spray applied in early March. A nicotine and soap spray applied in early May and Bordeaux mixture plus arsenic lead applied in July.

# Specimen Stock

B&B signifies Balled and Burlapped

	10 rate	100 rate
<b>ABIES bracyphylla</b> —Golden nikko fir		
4 to 5 ft. B&B	\$3.00	
5 to 6 ft. B&B	4.00	
6 to 7 ft. B&B	6.00	
—concolor—White fir		
18 to 24 in. B&B	\$0.75	
2 to 3 ft. B&B	1.00	
3 to 4 ft. B&B	1.25	
<b>ACER palmatum atropurpureum novum</b> —The true grafted red leaf Japanese Maple		
12 to 15 in. B&B	\$0.75	\$0.65
15 to 18 in. B&B	.90	.75
18 to 24 in. B&B	1.25	1.00
2 to 2½ ft. B&B	1.75	1.50
<b>AZALEA altaclarence</b> —Yellow flowered deciduous azalea		
—mollis—Deciduous azalea orange flowered		
8 to 10 in. B&B	\$0.50	\$0.40
—amoena—Purple flowers, very hardy		
—coccinea—Red flowered amoena		
—flame—Orange red kurume type		
—J. T. Lovett—Very late blooming		
—kurume seedlings—Assorted seedlings		
—macrantha—Deep pink late blooming		
—magnifica—Pink ledifolia type		
—maxwelli—Large red flowers		
—pink pearl—Double pink forcing kurume		
—sweet briar—Small double rose flowers		
—vaseyi—Wild azalea		
9 to 12 in. B&B	\$0.60	\$0.50
<b>AZALEA coral belle</b> —Double pink flowering forcing a.		
4 to 6 in. B&B	\$0.30	\$0.25
6 to 8 in. B&B	.40	.35
—hinodegiri—A bright green leaved evergreen azalea with an abundance of red flowers. Excellent for forcing		
* 4 to 6 in. B&B	\$0.25	\$0.20
* 6 to 8 in. B&B	.35	.30
* 8 to 10 in. B&B	.45	.40
10 to 12 in. B&B	.60	.50
12 to 15 in. B&B	.75	.65
15 to 18 in. B&B	1.00	.90
—kaempferi—Extremely hardy torch azalea with orange red flowers.		
* 12 to 15 in. B&B	\$0.75	\$0.65
* 15 to 18 in. B&B	.90	.75
18 to 24 in. B&B	1.25	1.00
2 to 2½ ft. B&B	1.75	1.50
2½ to 3 ft. B&B	2.25	2.00

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).



10 rate 100 rate

**AZALEA indica varieties** (grafted) The large flowering Belgian forcing azalea

Dr. Martin—Red  
 Empress of India—A very good bicolor  
 Ernest Thiers—Red, dwarf  
 Ernest van Eckhoutte—Dark red  
 La Temperance—Lavender  
 Mme. Jos. Vervaeke—Peach  
 Mme. Morreau—bicolor  
 Mme. Fred Sanders—Bicolor  
 Niobe—White  
 Prof. Walters—Bicolor  
 Romaine de Smet—Dwarf bicolor  
 Simon Mardner—Red  
 Van der Cruyssen—The best deep pink  
 Vervaekeana—The best bicolor

6 to 8 in. B&B	\$0.75	\$0.65
8 to 10 in. B&B	.90	.75
10 to 12 in. B&B	1.25	1.00
12 to 15 in. B&B	1.50	1.25

—**kaempferi hybrid seedlings**—Seedlings of the kaempferi malvatica cross with flowers in various shades of red, pink and flame colors.

* 12 to 15 in. B&B	\$0.75	\$0.65
* 15 to 18 in. B&B	.90	.75
18 to 24 in. B&B	1.25	1.00
2 to 2½ ft. B&B	1.75	1.50
2½ to 3 ft. B&B	2.25	2.00

—**kaempferi Atalanta**—Lavender, tall grower, late  
 —**kaempferi Cleopatra**—Shell pink, one of the best  
 —**kaempferi Fedora**—Best pink  
 —**kaempferi Lohengrin**—Light lavender pink  
 —**kaempferi Martha**—Pink dwarf, late  
 —**kaempferi Mikado**—Red  
 —**kaempferi Norma**—Dwarf compact deep pink  
 —**kaempferi Othello**—Orange, one of the best  
 —**kaempferi Zampa**—Crimson pink

* 12 to 15 in. B&B	\$0.90	\$0.75
* 15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.75	1.50

**BARBERRY julianae**—Tall growing evergreen barberry

9 to 12 in. B&B	\$0.50	\$0.45
15 to 18 in. B&B	.90	.75

—**verriculosa**—Dwarf evergreen barberry

8 to 10 in. B&B	\$0.70	\$0.60
-----------------	--------	--------

**BIOTA aurea nana**—Breckman's golden biota

10 to 12 in. B&B	\$0.40	\$0.35
12 to 15 in. B&B	.50	.45
15 to 18 in. B&B	.65	.60
18 to 24 in. B&B	.85	.75

—**elegantissima**—Yellow pyramidal biota

15 to 18 in. B&B	\$0.50	\$0.40
18 to 24 in. B&B	.60	.50
2 to 3 ft. B&B	.75	.65

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).

	10 rate	100 rate
<b>BUXUS sempervirens</b> —American bush boxwood		
8 to 10 in. B&B	\$0.25	\$0.20
— <b>suffruticosa</b> —Dwarf old English boxwood		
* 4 to 6 in. edging	\$60.00	per 1000
* 6 to 8 in. edging	80.00	per 1000
6 to 8 in. extra heavy B&B	\$0.30	\$0.25
8 to 10 in. extra heavy B&B	.40	.35
<b>CHAMAECYPARIS lawson hollandia</b> —Holland cypress		
— <b>lawsoniana triumphe de boskoop</b> —Boskoop cypress		
— <b>obtusa</b> —Hinoki cypress		
— <b>obtusa crippi</b> —Cripps golden cypress		
— <b>obtusa youngi</b> —Young's golden cypress		
15 to 18 in. B&B	\$0.60	\$0.50
18 to 24 in. B&B	.75	.65
2 to 3 ft. B&B	1.00	.90
— <b>obtusa gracilis</b> —Dark green slender Hinoki cypress		
15 to 18 in. B&B	\$0.60	\$0.50
18 to 24 in. B&B	.75	.65
2 to 3 ft. B&B	1.00	.90
3 to 4 ft. B&B	1.50	1.25
<b>CORNUS florida rubra</b> —Red flowering dogwood		
15 to 18 in. B&B	\$0.65	\$0.60
18 to 24 in. B&B	.90	.75
<b>COTONEASTER horizontalis</b> —Rock cotoneaster		
— <b>microphylla</b> —Small leaf cotoneaster		
— <b>simonsi</b> —Simon's cotoneaster		
12 to 15 in. B&B	\$0.50	\$0.40
15 to 18 in. B&B	.60	.50
<b>CRYPTOMERIA japonica lobbi</b> —Japanese incense cedar		
3 to 4 ft. B&B	\$1.25	\$1.00
4 to 5 ft. B&B	1.75	1.50
5 to 6 ft. B&B	2.50	2.00
6 to 7 ft. B&B	3.00	2.50
7 to 8 ft. B&B	4.00	3.50
8 to 9 ft. B&B	5.00	4.50
9 to 10 ft. B&B	7.00	6.00
<b>ENKIANTHUS campanulatus</b> —Red vein enkianthus		
18 to 24 in. B&B	\$0.90	\$0.75
2 to 2½ ft. B&B	1.25	1.00
2½ to 3 ft. B&B	1.50	1.25
3 to 4 ft. B&B	2.00	1.75
<b>ILEX aquifolia pyramidalis</b> —English holly		
15 to 18 in. B&B	\$0.75	\$0.65
18 to 24 in. B&B	1.00	.85
— <b>buxifolia, convexi or bullata</b> —Dwarf boxwood leaf holly		
8 to 10 in. B&B	\$0.45	\$0.40
10 to 12 in. B&B	.60	.50
12 to 15 in. B&B	.75	.65
— <b>cornata</b> —Chinese holly		
12 to 15 in. B&B	\$0.75	\$0.65
15 to 18 in. B&B	1.00	.85

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).

	10 rate	100 rate
<b>ILEX crenata</b> —Large leaf Japanese holly		
10 to 12 in. B&B	\$0.45	\$0.40
12 to 15 in. B&B	.60	.50
15 to 18 in. B&B	.75	.65
18 to 24 in. B&B	1.00	.90
2 to 2½ ft. B&B	1.50	1.25
2½ to 3 ft. B&B	2.00	1.75
<b>—microphylla</b> —Small leaf Japanese holly		
10 to 12 in. B&B	\$0.45	\$0.40
12 to 15 in. B&B	.60	.50
15 to 18 in. B&B	.75	.65
18 to 24 in. B&B	1.00	.90
2 to 2½ ft. B&B	1.50	1.25
2½ to 3 ft. B&B	2.00	1.75
<b>—glabra</b> —American inkberry		
12 to 15 in. B&B	\$0.75	\$0.65
15 to 18 in. B&B	1.00	.85
<b>JUNIPERUS canadensis aurea</b> —Golden spreading juniper		
15 to 18 in. B&B	\$0.75	
18 to 24 in. B&B	1.00	
<b>—chinensis columnaris</b> —Blue columnar juniper		
18 to 24 in. B&B	\$0.70	\$0.60
2 to 3 ft. B&B	.90	.75
3 to 4 ft. B&B	1.25	1.00
4 to 5 ft. B&B	1.75	1.50
5 to 6 ft. B&B	2.25	2.00
6 to 7 ft. B&B	3.00	2.50
7 to 8 ft. B&B	4.00	3.50
8 to 10 ft. B&B	6.00	5.00
<b>—chinensis pfitzer</b> —Spreading pfitzer juniper		
12 to 15 in. B&B	\$0.90	\$0.75
15 to 18 in. B&B	1.25	1.00
<b>—chinensis veridis</b> —Green columnar juniper		
18 to 24 in. B&B	\$0.70	\$0.60
2 to 3 ft. B&B	.90	.75
3 to 4 ft. B&B	1.25	1.00
4 to 5 ft. B&B	1.75	1.50
5 to 6 ft. B&B	2.25	2.00
6 to 7 ft. B&B	3.00	2.50
7 to 8 ft. B&B	4.00	3.50
<b>—excelsa stricta</b> —Spiny Greek juniper		
10 to 12 in. B&B	\$0.40	\$0.35
12 to 15 in. B&B	.50	.45
15 to 18 in. B&B	.70	.60
18 to 24 in. B&B	1.00	.90
<b>—hibernica</b> —Irish juniper		
15 to 18 in. B&B	\$0.90	\$0.60
18 to 24 in. B&B	1.25	1.00
<b>—sphaerica or fortunei</b> —Globe juniper		
15 to 18 in. B&B	\$0.70	\$0.60
18 to 24 in. B&B	.90	.75
<b>—squamata meyeri</b> —Blue fishtail juniper		
12 to 15 in. B&B	\$0.75	
15 to 18 in. B&B	1.00	
<b>—virginiana burki</b> —Upright blue cedar		
18 to 24 in. B&B	\$1.00	
2 to 3 ft. B&B	1.25	

	10 rate	100 rate
<b>JUNIPERUS virginiana cannarti</b> —Cannart's red cedar		
15 to 18 in. B&B	\$0.70	\$0.60
18 to 24 in. B&B	.90	.75
2 to 3 ft. B&B	1.25	1.00
3 to 4 ft. B&B	1.75	1.50
— <b>virginiana glauca</b> —Blue Virginia cedar		
15 to 18 in. B&B	\$0.70	\$0.60
18 to 24 in. B&B	.90	.75
2 to 3 ft. B&B	1.25	1.00
3 to 4 ft. B&B	1.75	1.50
— <b>virginiana keteleeri</b> —Pyramidal red cedar		
15 to 18 in. B&B	\$0.70	\$0.60
18 to 24 in. B&B	.90	.75
2 to 3 ft. B&B	1.25	1.00
3 to 4 ft. B&B	1.75	1.50
— <b>virginiana schottii</b> —Schott red cedar		
15 to 18 in. B&B	\$0.70	\$0.60
18 to 24 in. B&B	.90	.75
2 to 3 ft. B&B	1.25	1.00
<b>KALMIA latifolia</b> —American laurel		
12 to 15 in. B&B	\$0.70	\$0.60
15 to 18 in. B&B	.90	.75
18 to 24 in. B&B	1.25	1.00
<b>LAUROCERASUS schipkaensis</b> —Holland laurel		
18 to 24 in. B&B	\$1.00	
<b>LEUCOTHOE catesbaei</b> —Drooping leucothoe		
8 to 10 in. B&B	\$0.60	\$0.50
10 to 12 in. B&B	.75	.65
12 to 15 in. B&B	.90	.80
<b>MAGNOLIA soulangeana</b> —Pink saucer flowered magnolia		
15 to 18 in. B&B	\$0.75	\$0.65
18 to 24 in. B&B	.90	.80
<b>PICEA excelsa</b> —Norway spruce		
12 to 15 in. B&B very bushy	\$0.35	\$0.30
15 to 18 in. B&B very bushy	.45	.40
18 to 24 in. B&B very bushy	.60	.50
2 to 3 ft. B&B very bushy	.75	.60
— <b>pungens kosteri</b> —Koster's blue spruce		
15 to 18 in. B&B	\$1.25	\$1.00
18 to 24 in. B&B	1.50	1.25
2 to 2½ ft. B&B	1.75	1.50
2½ to 3 ft. B&B	2.25	2.00
3 to 4 ft. B&B	3.50	3.00
4 to 5 ft. B&B	6.00	5.00
5 to 6 ft. B&B	10.00	9.00
6 to 7 ft. B&B	15.00	
7 to 8 ft. B&B	25.00	
8 to 10 ft. B&B	35.00	
<b>PIERIS floribunda</b> —American mountain andromeda		
10 to 12 in. B&B	\$0.90	\$0.75
12 to 15 in. B&B	1.25	1.00
— <b>japonica</b> —Japanese andromeda		
10 to 12 in. B&B	\$0.75	\$0.65
12 to 15 in. B&B	.90	.80
15 to 18 in. B&B	1.25	1.00

	10 rate	100 rate
<b>PIERIS racemosa</b> —American swamp andromeda		
18 to 24 in. B&B	\$0.75	\$0.65
2 to 3 ft. B&B	.90	.80
<b>PINUS nigra</b> —Austrian pine		
3 to 4 ft. B&B	\$2.00	
4 to 5 ft. B&B	3.00	
5 to 6 ft. B&B	4.00	
<b>PYRACANTHA coccinea</b> —Scarlet firethorn		
12 to 15 in. B&B	\$0.60	\$0.50
15 to 18 in. B&B	.70	.60
18 to 24 in. B&B	.90	.75
<b>RETINOSPORA plumosa aurea</b> —Golden cypress		
12 to 15 in. B&B	\$0.75	
15 to 18 in. B&B	1.00	
<b>—suarrosa veitchi</b> —Blue moss cypress		
12 to 15 in. B&B	\$0.75	
15 to 18 in. B&B	1.00	
<b>RHODODENDRON catawbiense hybrid</b> —We are America's largest grower of hardy grafted Rhododendrons and offer an unusual selection of varieties. Our plants are exceptionally hardy, being produced under open field culture, and have compact tops, splendid root system and abundance of buds.		
<b>—Album elegans</b> —white. A rapid growing tall variety recommended for backgrounds. Buds are flesh color and flowers open blush fading to white. Extremely hardy.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
2 to 2½ ft. budded	2.50	2.25
<b>—America</b> —red. An excellent deep red of open spreading habit, hardy and easily forced.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
<b>—Amphion (F. L. Ames)</b> —Pink, white eye. A striking large deep pink flower with pure white center. Good forcing variety; hardy for outdoor plantings.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
<b>—Boule de Neige</b> —white. A very dwarf growing early pure white Caucasicum hybrid which is entirely hardy. Large flowers.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 10 to 12 in. budded B&B	1.25	1.00
* 12 to 15 in. budded B&B	1.60	1.35

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).

	10 rate	100 rate
— <b>Catawbiense album</b> —white. A pure white hybrid of good compact habit. Easily forced and very hardy.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
— <b>Catawbiense grandiflorum</b> —lilac. A rosy lilac hybrid of good compact habit. Buds very heavily and is extremely hardy.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
2 to 2½ ft. budded B&B	2.50	2.25
— <b>Dr. Dresselhuys</b> —red. The best tall growing hardy red variety. It is easily forced and has very large red flowers. Pronounced Dress-el-house.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
— <b>Dr. Lovink</b> —red. A bright red hybrid of recent introduction making wide bushy plants with extra large leaves. Dwarf grower.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
— <b>Dr. Rutgers</b> —red. A large flower scarlet-red of dwarf spreading habit. Easily forced and buds very freely.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
2 to 2½ ft. budded B&B	2.50	2.25
— <b>Everestianum</b> —lilac. A very slow growing dwarf varietal producing an abundance of pale lavender flowers with prominently yellow spotted and attractively frilled petals.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
— <b>Ignatius Sargent</b> —light red. A rapid vigorous growing, very hardy light variety.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
— <b>Kettledrum</b> —red. A very hardy red variety.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).

	10 rate	100 rate
— <b>Lee's Dark Purple</b> —dark purple. Extremely hardy having a large number of buds. This variety naturally produces compact globular specimens.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
— <b>Mrs. C. S. Sargent</b> —light red. A good light red or deep pink variety of compact bushy habit. Splendid outdoor hybrid for mass planting as it is extremely hardy.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
2 to 2½ ft. budded B&B	2.50	2.25
— <b>Mrs. P. den Ouden</b> —red. A free blooming fiery-crimson hybrid producing compact well shaped plants. Strong grower.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
— <b>Parsons' grandiflorum (grandiflorum)</b> —red. A good hardy solferino-red with compact clustered flowers.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
— <b>President Lincoln</b> —lavender. An easily forced tall growing lavender variety. Extremely hardy.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
2 to 2½ ft. budded B&B	2.50	2.25
2½ to 3 ft. budded B&B	3.00	2.75
— <b>Prof. Bettex</b> —red. Immense scarlet spotted flower. Compact well shaped plants. Dwarf in habit.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
— <b>Purpureum elegans</b> —purple. Bushy well shaped plants producing an abundance of purple flowers. Extremely hardy and heavy budder.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
— <b>Roseum elegans</b> —orchid pink. A heavy budding orchid pink variety which produces compact globular specimens. Easily forced and very hardy.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
2 to 2½ ft. budded B&B	2.50	2.25
2½ to 3 ft. budded B&B	3.00	2.75

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).

	10 rate	100 rate
— <b>Van der Broeke</b> —red. Fine dark spotted carmine flowers. Good strong compact grower.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
— <b>Van der Hoop</b> —red. Light tyrian-red flowers. Bushy grower.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
— <b>Van Weerden Poelman</b> —red. Very large crimson flowers and strong grower.		
* 2 yr. budded B&B	\$0.90	\$0.75
* 12 to 15 in. budded B&B	1.25	1.00
* 15 to 18 in. budded B&B	1.60	1.35
18 to 24 in. budded B&B	2.00	1.75
<b>RHODODENDRON carolina</b> —Native pink carolina Rhodo.		
10 to 12 in. B&B	\$0.60	\$0.50
12 to 15 in. B&B	.75	.65
— <b>hippophicoides</b> —lilac purple. Very dwarf small leafed evergreen rhododendron for rock gardens. Abundance of small lilac purple flowers.		
8 to 10 in. B&B	\$0.90	\$0.75
10 to 12 in. B&B	1.25	1.00
— <b>keiski</b> —yellow. Dwarf small leaved evergreen rhododendron suitable for rock gardens. Hardy lemon yellow flowers.		
8 to 10 in. B&B	\$0.90	\$0.75
10 to 12 in. B&B	1.25	1.00
— <b>micranthum</b> —milkwhite. A tall evergreen species with clusters of milky white flowers.		
15 to 18 in. B&B	\$1.25	\$1.00
18 to 24 in. B&B	1.50	1.25
— <b>rhombica</b> . Tall growing species with small white flowers.		
15 to 18 in. B&B	\$1.25	\$1.00
<b>SYRINGA Mme. Lemoine</b> .—Double white French hybrid lilac		
3 to 4 ft. B&B	\$0.90	\$0.75
4 to 5 ft. B&B	1.25	1.00
5 to 6 ft. B&B	1.75	1.50
— <b>Ludwig Spaeth</b> —Double purple French hybrid lilac		
3 to 4 ft. B&B	\$0.90	\$0.75
4 to 5 ft. B&B	1.25	1.00
<b>TAXUS brevifolia nana</b> —Dwarf Japanese yew		
10 to 12 in. B&B	\$0.90	\$0.75
12 to 15 in. B&B	1.25	1.00
15 to 18 in. B&B	1.50	1.25
18 to 24 in. B&B	2.00	1.75
2 to 2½ ft. B&B	2.50	2.25
2½ to 3 ft. B&B	3.50	
3 to 4 ft. B&B	5.00	

**Note:** \*—can be furnished with a Japanese Beetle Certificate between October 1st and April 30th, if requested (sometimes requires two weeks for treatment).



	10 rate	100 rate
<b>TAXUS capitata</b> —Pyramid Japanese yew		
12 to 15 in. B&B	\$0.90	\$0.75
15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.50	1.25
2 to 2½ ft. B&B	2.00	
2½ to 3 ft. B&B	2.50	
3 to 3½ ft. B&B	3.50	
<b>—cuspidata spreading</b> —Spreading Japanese yew		
12 to 15 in. B&B	\$0.90	\$0.75
15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.50	1.25
2 to 2½ ft. B&B	2.00	
2½ to 3 ft. B&B	2.50	
3 to 3½ ft. B&B	3.50	
<b>—media hicksi</b> —Hick's upright berry bearing yew		
15 to 18 in. B&B	\$0.90	\$0.75
18 to 24 in. B&B	1.25	1.00
2 to 2½ ft. B&B	1.50	1.25
2½ to 3 ft. B&B	2.00	1.75
3 to 3½ ft. B&B	2.50	2.25
<b>THUJA elegantissima</b> —Yellow tip arborvitae		
15 to 18 in. B&B	\$0.60	
18 to 24 in. B&B	.75	
<b>—globosa</b> —Globe arborvitae		
10 to 12 in. B&B	\$0.45	\$0.40
12 to 15 in. B&B	.60	
15 to 18 in. B&B	.75	
<b>—lutea</b> —Yellow arborvitae		
15 to 18 in. B&B	\$0.60	
18 to 24 in. B&B	.75	
<b>—pyramidalis</b> —Pyramidal arborvitae		
2 to 2½ ft. B&B	\$0.75	\$0.65
2½ to 3 ft. B&B	.90	.75
3 to 4 ft. B&B	1.25	
<b>—rosenthali</b> —Dwarf pyramidal arborvitae		
10 to 12 in. B&B	\$0.50	\$0.45
12 to 15 in. B&B	.65	.60
<b>—spiralis or plicata</b> —Moss arborvitae		
18 to 24 in. B&B	\$0.60	\$0.50
2 to 3 ft. B&B	.75	.65
3 to 4 ft. B&B	1.25	1.00
<b>—warcana</b> —Siberian arborvitae		
10 to 12 in. B&B	\$0.60	\$0.50
12 to 15 in. B&B	.75	.60
<b>TSUGA fremdi</b> —Dwarf pyramidal hemlock		
3 to 4 ft. B&B	\$20.00 each	

